

This is a RED Stamp

**ROCKY FLATS PLANT
EM RADIOLOGICAL GUIDELINES**

Manual No.: **3-21000-OPS-EMRG**
Procedure No.: **Table of Contents, Rev 1**
Page: **1 of 2**
Effective Date: **01/18/93**
Organization: **Environmental Management**

**TABLE OF CONTENTS
EM RADIOLOGICAL GUIDELINES**

<u>Guideline No.</u>	<u>Title</u>	<u>Rev. No.</u>	<u>Effective Date</u>
EMRG 1.0	Organization and Responsibilities	0	12/06/91
EMRG 1.1	Gamma Radiation Surveys	0	12/06/91
EMRG 1.2	Beta Radiation Surveys	0	12/06/91
*DCN 93.01	Compliance to Health & Safety Practices Manual	0	01/14/93
EMRG 1.3	Posting of Radiation Protection Requirements	0	12/06/91
*DCN 93.01	Compliance to Radiological Protection Program	0	01/14/93
EMRG 2.1	Personnel Contamination Monitoring	0	12/06/91
*DCN 93.01	Compliance to Radiological Control Manual	0	01/14/93
EMRG 2.2	Possible Inhalation Exposure	0	12/06/91
*DCN 93.01	Compliance to Radiological Protection Program	0	01/14/93
*DCN 93.02	Compliance to Radiological Protection Program	0	01/14/93
*DCN 93.03	Compliance to Radiological Protection Program	0	01/14/93
*DCN 93.04	Compliance to Radiological Protection Program	0	01/14/93
*DCN 93.05	Compliance to Radiological Protection Program	0	01/14/93
EMRG 2.3	Wounds and Skin Contamination	0	12/06/91
*DCN 93.01	Table 1 replacement for Internal Dosimetry Evaluation	0	01/14/93
*DCN 93.02	Compliance to Radiological Protection Program	0	01/14/93
EMRG 3.1	Performance of Surface Contamination Surveys	0	12/06/91
*DCN 93.01	Correction to Reference WO-4034	0	01/14/93
EMRG 3.2	Survey Requirements for Conditional and Unrestricted Use	0	12/06/91

ADMIN RECORD

**DOCUMENT CLASSIFICATION REVIEW WAIVER
PER R.B. HOFFMAN, CLASSIFICATION OFFICE
JUNE 11, 1991**

A-SW-001139

**ROCKY FLATS PLANT
EM RADIOLOGICAL GUIDELINES**

Manual No.:
Procedure No.:
Page:
Effective Date:
Organization:

3-21000-OPS-EMRG
Table of Contents, Rev 1
2 of 2
01/18/93
Environmental Management

<u>Guideline No.</u>	<u>Title</u>	<u>Rev. No.</u>	<u>Effective Date</u>
EMRG 3.5	Handling of Contaminated Dosimetry/Security Badges	0	12/06/91
*DCN 93.01	Word Correction	0	01/14/93
EMRG 6.1	Performance Test and Operational Checks for Ludlum Model 12-A, Model 12, and Model 31 Survey Instruments	0	12/06/91
EMRG 6.3	Performance Checking and Operation of the Eberline SAC-4 Alpha-Scintillation Smear Counting Instrumentation	0	12/06/91
EMRG 6.4	Performance Testing and Operation of the Eberline BC-4 Beta Smear Counting Instrumentation	0	12/06/91
*DCN 93.01	Formula Clarification	0	01/14/93
EMRG 6.5	Use of the Bicron Frisk-Tech with the A-100 and B-50 Detectors	0	12/06/91
*DCN 93.01	Equipment Calibration Clarification	0	01/14/93
EMRG 6.6	Use of the Bicron Fidler (Field Instrument for the Detection of Low-Energy Radiation)	0	12/06/91
*DCN 93.01	FIDLER Surveys	0	01/15/93
EMRG 9.1	Respiratory Protection Requirements and Posting	0	12/06/91
*DCN 93.01	Revisions to Radiation Protection Program	0	01/15/93
EMRG 10.1	Radiological Deficiency Reporting Program	0	12/06/91

401-2593 This is a 22

ENVIRONMENTAL MANAGEMENT DOCUMENT CHANGE NOTICE (DCN)

CONTROLLED DOCUMENT
EG&G - ROCKY FLATS PLANT
ENVIRONMENTAL MANAGEMENT

Procedure Number ~~3-21000-OPS-EMRG 1.3, Rev.0~~

Title Emrg 1.3 Posting of Radiation Protection Req. <i>DPH 1/14/93</i>	Date 12/15/92 <i>DPH 1/14/93</i>	DCN Number <i>93.01</i>
Expires 12/31/93 <i>DPH 1/14/93</i>	Procedure Revision Required <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>DPH 1/14/93</i>	
Scope Limitation None		

Item Number	Page	Step or Paragraph	Changes (Use DCN CONTINUATION SHEET for Additional Space)
1		Fig 1.3K	Add the attached posting as a sample for exit requirements from an RCA.
2	2/6	5.1.1	Add the following to (Figure 1.3A): "and Figure 1.3K."

Justification (Reason for Change - Provide Numbers To Reference Corresponding Items Above)
#1 and 2:
Revision for compliance to EG&G Radiological Protection Program.

Concurrence	Organization	Req	Date	Concurrence	Organization	Req	Date
<i>[Signature]</i>	QAPM	X	1/14/93		User	X	
<i>[Signature]</i>	Rad Eng	X	12/18/92	<i>D. Simbs</i>	EQS	X <i>DPH 1/14/93</i>	1/14/93
<i>[Signature]</i>	ES&E	X	1/5/93				
Approval of Responsible Manager <i>[Signature]</i>				Is Posting Req'd? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If Yes, By What Date? <i>upon receipt</i>			
Date <i>1-12-93</i>				Date Posted			

FIGURE 1.3K

LEAVING RADIOLOGICALLY CONTROLLED AREA

EXIT REQUIREMENTS

WHOLE BODY MONITORING

ALL ITEMS MUST BE SURVEYED

FOLLOW THE DIRECTIONS OF THE HSS

IF CONTAMINATION IS DETECTED

WASH HANDS AFTER LEAVING AREA

(NOTE: This serves as an example of exit requirements
that may be established at the RCA step-off pad.)